

**Literaturverzeichnis zum Artikel „Gesundheitsrisiken durch eine inhalative Exposition gegenüber mykotoxinbildenden Schimmelpilzen“ - J. Bünger**  
Gefahrstoffe-Reinhaltung der Luft 9/2005

- [1] Etzel RA (2002): Mycotoxins. JAMA 287, 425-427.
- [2] Samson RA: Mycotoxin producing fungi: ecology and significance; in: Gesundheitliche Aspekte toxinogener Schimmelpilze in Gebäuden – Mykotoxine und MVOCs (Schriftenreihe des Institutes für Medizinische Mikrobiologie und Hygiene der Medizinischen Universität zu Lübeck, Heft 4 (2001); hrsg. v. Keller R und Senkpiel K), o. Verl., Lübeck 2001, 61-79.
- [3] Sweeney MJ, Dobson ADW (1998): Mycotoxin production by *Aspergillus*, *Fusarium* and *Penicillium* species. Int J Food Microbiol 43, 141-158.
- [4] Bünger J, Antlauf-Lammers M, Schulz TG, Westphal GA, Müller MM, Ruhnu P, Hallier E (2000): Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers. Occup Environ Med 57, 458-464.
- [5] Frisvad JC, Filtenborg O (1989): Terveticillate penicillia: chemotaxonomy and mycotoxin production. Mycologia 81, 837-861.
- [6] Müller M, Bünger J, Hallier E: Mycotoxin spectra as a biochemical parameter for occupational and environmental fungi exposure; in: Bioaerosols, fungi and mycotoxins: health effects, assessment, prevention and control; hrsg. v. Johannig E; Boyd Printing Company, Albany, NY, USA 1999, 418-422.
- [7] Parker GF, Jenner PC (1968): Distribution of tryptacin in cultures of *Aspergillus fumigatus*. Appl Microbiol 16, 1251-1252.
- [8] Wicklow DT, Shotwell OL (1983): Intrafungal distribution of aflatoxins among conidia and sclerotia of *Aspergillus flavus* and *Aspergillus parasiticus*. Can J Microbiol 29, 1-5.
- [9] Palmgren MS, Lee LS (1986): Separation of mycotoxin-containing sources in grain dust and determination of their mycotoxin potential. Environ Health Perspect 66, 105-108.
- [10] Häggblom P (1987): De novo synthesis of alternariol in conidia of *Alternaria alternata*. J Gen Microbiol 133, 3527-3529.
- [11] Sorenson WG, Frazer DG, Jarvis BB, Simpson J, Robinson VA (1987): Trichothecene mycotoxins in aerosolized conidia of *Stachybotrys atra*. Appl Environ Microbiol 53, 1370-1375.
- [12] Miller JD (1992): Fungi as contaminants in indoor air. Atmos Environ A 26, 2163-2172.
- [13] Gemeinhardt H, Bergmann I (1977): Zum Vorkommen von Schimmelpilzen in Bäckereistäuben. Zentralbl Bakteriol Parasitenkd Infektionskr Hyg Abt. 2 132, 44-54.
- [14] Gemeinhardt H, Bergmann I (1980): Untersuchungen zum Nachweis und zur Häufigkeit von Schimmelpilzen in Mühlenstäuben. Z Gesamte Hyg 26, 23-26.
- [15] Gemeinhardt H, Bergmann I, Wallenstein G (1981): Mykologische Untersuchungen zum Nachweis und zur Häufigkeit von Schimmelpilzen in landwirtschaftliche Stäuben. Z Gesamte Hyg 27, 745-747.
- [16] Gemeinhardt H, Wallenstein G (1985): Zum Vorkommen von Schimmelpilzen im Luftstaub von Geflügelzuchtbetrieben. Zentralbl Mikrobiol 2. Abt 140, 375-379.
- [17] Land CJ, Hult K, Fuchs R, Hagelberg S, Lundstrom H (1987): Tremorgenic mycotoxins from *Aspergillus fumigatus* as a possible occupational health problem in sawmills. Appl Environ Microbiol 53, 787-790.
- [18] Land CJ, Lundstrom H, Werner S (1993): Production of tremorgenic mycotoxins by isolates of *Aspergillus fumigatus* from sawmills in Sweden. Mycopathologia 124, 87-93.
- [19] Piecková E, Jesenská Z (1996): Filamentous microfungi in raw flax and cotton for textile industry and their ciliostatic activity on tracheal organ cultures in vitro. Mycopathologia 134, 91-96.
- [20] Jesenská Z, Poláková O, Polster M, Košková L, Vaszilková A (1981): Potential producers of aflatoxin in working environment. Zentralbl Bakteriol Mikrobiol Hyg B 172, 382-389.
- [21] Göttlich E, Engesser KH, Bardtke D (1994): Emission von Pilzsporen in Müllverarbeitungsanlagen. Forum Städte-Hyg 45, 321-325.
- [22] Fischer G, Schwalbe R, Möller M, Ostrowski R, Hollender J, Dott W (1998): Luftverbreitete Schimmelpilze und deren Stoffwechselmetabolite an Arbeitsplätzen in Kompostieranlagen. Mycoses 41, 51-55.
- [23] Fischer G, Müller T, Ostrowski R, Dott W (1999): Mycotoxins of *Aspergillus fumigatus* in pure culture and in native bioaerosols from compost facilities. Chemosphere 38, 1745-1755.
- [24] Iavicoli I, Brera C, Carelli G, Caputi R, Marinaccio A, Miraglia M (2002): External and internal dose in subjects occupationally exposed to ochratoxin A. Int Arch Occup Environ Health 75, 381-386.
- [25] Degen GH, Meifort J, Blaszkewicz M: Biomonitoring für Ochratoxin A bei Beschäftigten im Getreide- und Rohkaffee-Umschlag. Proceedings of the 27. Mycotoxin-Workshop, Institut für Arbeitsphysiologie, Dortmund, 2005, 72.
- [26] Degen GH, Blaszkewicz M, Lektarau Y, Grüner C (2003): Ochratoxin A Analysen im Blut von Arbeitnehmern in der Abfallwirtschaft. Mycotox Res 19, 3-7.

- [27] Rosner H, Rohrmann B, Peiker G (2000): Ochratoxin A in human serum. *Arch Lebensmittelhyg* 51, 104-107.
- [28] Autrup JL, Schmidt J, Seremet T, Autrup H (1991): Determination of exposure to aflatoxins among Danish workers in animal-feed production through the analysis of aflatoxin B<sub>1</sub>- adducts to serum albumin. *Scand. J. Work Environ. Health* 17, 436-440.
- [29] Smoragiewicz W, Cossette B, Boutard A, Krzystyniak K (1993): Trichothecene mycotoxins in the dust of ventilation systems in office buildings. *Int Arch Occup Environ Health* 65, 113-117.
- [30] Johanning E, Biagini R, Hull D, Morey P, Jarvis B, Landbergis P (1996): Health and immunology study following exposure to toxigenic fungi (*Stachybotrys atra*) in a water-damaged office environment. *Int Arch Occup Environ Health* 68, 207-218.
- [31] Cooley JD, Wong WC, Jumper CA, Straus DC (1998): Correlation between the prevalence of certain fungi and sick building syndrome. *Occup Environ Med* 55, 579-584.
- [32] Johanning E, Landbergis P, Gareis M, Yang CS, Olmsted E (1999): Clinical Experience and Results of a Sentinel Health Investigation Related to Indoor Fungal Exposure. *Environ Health Perspect* 107 Suppl 3, 489-494.
- [33] Trout D, Bernstein J, Martinez K, Biagini R, Wallingford K (2001): Bioaerosol lung damage in a worker with repeated exposure to fungi in a water-damaged building. *Environ Health Perspect* 109, 641-644.
- [34] Chao HJ, Schwartz J, Milton DK, Burge HA (2002): Populations and determinants of airborne fungi in large office buildings. *Environ Health Perspect* 110, 777-782.
- [35] Engelhart S, Loock A, Skutlarek D, Sagunski H, Lommel A, Färber H, Exner M (2002): Occurrence of toxigenic *Aspergillus versicolor* isolates and sterigmatocystin in carpet dust from damp indoor environments. *Appl Environ Microbiol* 68, 3886-3890.
- [36] Lee TG (2003): Health symptoms caused by molds in a courthouse. *Arch Environ Health* 58, 442-446.
- [37] Rea WJ, Didriksen N, Simon TR, Pan Y, Fenyves EJ, Griffiths B (2003): Effects of toxic exposure to molds and mycotoxins in building-related illnesses. *Arch Environ Health* 58, 399-405.
- [38] Richard JL, Plattner RD, May J, Liska SL (1999): The occurrence of ochratoxin A in dust collected from a problem household. *Mycopathologia* 146, 99-103.
- [39] Büniger J, Möller A, Hallier E: Tumorerkrankungsrisiken durch Mikroorganismen am Arbeitsplatz (Forschungsbericht 900. Schriftenreihe der Bundesanstalt für Arbeitsmedizin und Arbeitsschutz), Wirtschaftsverlag NW, Bremerhaven 2000, 1-173.
- [40] Hayes AW (1980): Mycotoxins: a review of biological effects and their role in human diseases. *Clin Toxicol* 17, 45-83.
- [41] Hussein HS, Brasel JM (2001): Toxicity, metabolism, and impact of mycotoxins on humans and animals. *Toxicology* 167, 101-134.
- [42] Bennett JW, Klich M (2003): Mycotoxins. *Clin Microbiol Rev* 16, 497-516.
- [43] Emanuel DA, Wenzel FJ, Lawton BR (1975): Pulmonary mycotoxicosis. *Chest* 67, 293-297.
- [44] Lecours R, Laviolette M, Cormier Y (1986): Bronchoalveolar lavage in pulmonary mycotoxicosis (organic dust toxic syndrome). *Thorax* 41, 924-926.
- [45] May JJ, Stallones L, Darrow D, Pratt DS (1986): Organic dust toxicity (pulmonary mycotoxicosis) associated with silo unloading. *Thorax* 41, 919-923.
- [46] Do Pico GA (1996): Lung (agricultural/rural). *Otolaryngol Head Neck Surg* 114, 212-216.
- [47] Perry LP, Iwata M, Tazelaar HD, Colby TV, Yousem SA (1998): Pulmonary mycotoxicosis: a clinicopathologic study of three cases. *Mod Pathol* 11, 432-436.
- [48] Loughheed MD, Roos JO, Waddell WR, Munt PW (1995): Desquamative interstitial pneumonitis and diffuse alveolar damage in textile workers. Potential role of mycotoxins. *Chest* 108, 1196-1200.
- [49] Di Paolo N, Guarnieri A, Loi F, Sacchi G, Mangiarotti AM, Di Paolo M (1993): Acute renal failure from inhalation of mycotoxins. *Nephron* 64, 621-625.
- [50] Castegnaro M, Maru V, Petkova-Bocharova T, Nikolov I, Bartsch H (1991): Concentrations of ochratoxin A in the urine of endemic nephropathy patients and controls in Bulgaria: lack of detection of 4-hydroxyochratoxin A. *IARC Sci Publ.* 115, 165-169.
- [51] Degen GH, Gerber MM, Obrecht-Pflumio S, Dirheimer G (1997): Induction of micronuclei with ochratoxin A in ovine seminal vesicle cell cultures. *Arch Toxicol* 71, 365-371.
- [52] Dörrenhaus A, Flieger A, Golka K, Schulze H, Albrecht M, Degen GH, Föllmann W (2000): Induction of unscheduled DNA synthesis in primary human urothelial cells by the mycotoxin ochratoxin A. *Toxicol Sci.* 53, 271-177.
- [53] Gordon KE, Masotti RE, Waddell WR (1993): Tremorgenic encephalopathy: a role of mycotoxins in the production of CNS disease in humans? *Can J Neurol Sci* 20, 237-239.
- [54] Stange K, Pohlmeier H, Lübbsmeyer A, Gumbinger G, Schmitz W, Baumgart P (1998): Vaskulärer Ergotismus durch Getreidestaub-inhalation. *Dtsch Med Wochenschr* 123, 1547-1550.
- [55] Deger GE (1976): Aflatoxin – Human colon carcinogenesis. *Ann Intern Med* 85, 204-205.
- [56] Dvořáčková I (1976): Aflatoxin inhalation and alveolar cell carcinoma. *Br Med J* 1976, I, 691.

- [57] Hayes RB, van Nieuwenhuize JP, Raatgever JW, ten Kate FJ (1984): Aflatoxin exposures in the industrial setting: an epidemiological study of mortality. *Food Chem Toxicol* 22, 39-43.
- [58] Olsen JH, Dragsted L, Autrup H (1988): Cancer risk and occupational exposure to aflatoxins in Denmark. *Br J Cancer* 58, 392-396.
- [59] Bünger J, Schappler-Scheele B, Missel T, Hilgers R, Kämpfer S, Felten C, Leifert I, Hase P: Gesundheitsrisiken in Kompostierungsanlagen durch biologische Arbeitsstoffe: Ein 5-Jahres-Follow-up (Forschungsbericht 993. Schriftenreihe der Bundesanstalt für Arbeitsmedizin und Arbeitsschutz), Wirtschaftsverlag NW, Bremerhaven 2003, 1-125.
- [60] Bünger J, Westphal G, Mönnich A, Hinnendahl B, Hallier E, Müller M (2004): Cytotoxicity of occupationally and environmentally relevant mycotoxins. *Toxicology*. 202, 199-211.
- [61] Dearborn DG, Yike I, Sorenson WG, Miller MJ, Etzel RA (1999): Overview of investigation into pulmonary hemorrhage among infants in Cleveland, Ohio. *Environ Health Perspect* 107 Suppl 3, 495-499.
- [62] Etzel RA, Montana E, Sorenson WG, Kullman GJ, Allan TM, Dearborn DG, Olson DR, Jarvis BB, Miller JD (1998): Acute pulmonary hemorrhage in infants associated with exposure to *Stachybotrys atra* and other fungi. *Arch Pediatr Adolesc Med* 152, 757-762.
- [63] Jarvis BB (2002): Chemistry and toxicology of molds isolated from water-damaged buildings. *Adv Exp Med Biol* 504, 43-52.
- [64] Dearborn DG, Smith PG, Dahms BB, Allan TM, Sorenson WG, Montana E, Etzel RA (2002): Clinical profile of 30 infants with acute pulmonary hemorrhage in Cleveland. *Pediatrics* 110, 627-637.
- [65] Brinton WT, Vastbinder EE, Greene JW, Marx JJ Jr, Hutcheson RH, Schaffner W (1987): An outbreak of organic dust toxic syndrome in a college fraternity. *JAMA* 258, 1210-1212.
- [66] Croft WA, Jarvis BB, Yatawara CS (1986): Airborne outbreak of trichothecene mycotoxicosis. *Atmos Environ* 20, 549-552.
- [67] Harrison J, Pickering CAC, Faragher EB, Austwick PKC, Little SA, Lawton L (1992): An investigation of the relationship between microbial and particulate indoor air pollution and the sick building syndrome. *Respir Med* 86, 225-235.
- [68] Redlich CA, Sparer J, Cullen MR (1997): Sick-building syndrome. *Lancet* 349, 1013-1016.
- [69] Malloy CD, Marr JS (1997): Sick-building syndrome. *Lancet* 349, 1913.
- [70] Nielsen KF (2003): Mycotoxin production by indoor molds. *Fungal Genet Biol* 39, 103-117.
- [71] Jarvis BB, Miller JD (2005): Mycotoxins as harmful indoor air contaminants. *Appl Microbiol Biotechnol* 66, 367-372.