

Literaturverzeichnis zum Artikel „Luftgetragene Schimmelpilze in der Umwelt des Menschen – gesundheitliche Relevanz und Möglichkeiten der risikobewertung“

G. Fischer, R. Thißen, R.-K. Hinz, N. Hollbach, C. Schmitz, W. Dott

Gefahrstoff-Reinhaltung der Luft 9/2005

- [1] Lacey, J. (1996) Spore dispersal - its role in ecology and disease: the British contribution to fungal aerobiology. *Mycol. Res.* 100 (6): 641-660
- [2] Lacey, M.E. (1962) The summer air-spores of two contrasting adjacent rural sites. *Journal of General Microbiology* 229: 485-501
- [3] Ackermann, H., Schmidt, B., und Lenk, V. (1969) Mycological studies of the outdoor and indoor air in Berlin. *Mykosen* 12, 309-320
- [4] Okten, S.S., Asan, A., Tungan, Y., Ture, M. (2005) Airborne fungal concentrations in east patch of Edine (Turkey) in Autumn using two sampling methods. *Trakya Univ J Sci*, 6(1): 97-106
- [5] Asan, A., İlhan, S., Sen, B., Erkara, I.P., Filik, C., Cabuk, A., Demirel, R., Ture M., Okten, S.S., Tokur, S. (2004) Airborne fungi and Actinomycetes concentrations in the air of Eskisehir City (Turkey). *Indoor and Built Environment* 13: 63-74
- [6] Al-Doory, Y., Domson, J.F. (1984) *Mould Allergy*. Lea and Febiger, Philadelphia
- [7] Trautmann, C., Gabrio, G. Dill, I., Weidner, U., Baudisch, C. (2005) Hintergrundkonzentrationen von Schimmelpilzen in der Luft. *Bundesgesundheitsbl – Gesundheitsforsch – Gesundheitsschutz* 48: 12-20
- [8] Kurup, V.P. (2003) Fungal allergens. *Current Allergy and Asthma Reports* 3: 416-423
- [9] Airaudi, D. und Marchisio, V.F. (1996) Fungal biodiversity in the air of Turin. *Mycopathologia* 136: 95-102
- [10] Domsch, K. H., Gams, W., and Anderson, T.-H. (1980) *Compendium of soil fungi*. Reprint 1993, IHW-Verlag, Eching, Germany
- [11] Samson, R. A., Hoekstra, E. S., Frisvad, J. C., and Filtenborg, O. (2000) *Introduction to food-borne fungi* (6th Edition). Centraalbureau voor Schimmelcultures, Baarn, The Netherlands
- [12] Reiß, J. (1986) *Schimmelpilze – Lebensweise, Nutzen, Schaden, Bekämpfung* (1st Edition), Springer Verlag, Berlin, Heidelberg, New York
- [13] Lacey, J. (1994) Microorganisms in organic dust. In *Organic dusts - Exposure, effects, and prevention*. (Edited by R. Rylander and R. R. Jacobs), Lewis Publishers, London, pp. 17-41. ISBN 0-87371-699-X
- [14] Fischer, G. (2000) Comparison of microbiological and chemical methods for assessing the exposure to air-borne fungi in composting plants. In: *Akademische Edition Umweltforschung Band 10 - Publikationsreihe des interdisziplinären Umwelt-Forums der RWTH Aachen 2000*. ISBN 3-8265-6926-1
- [15] Verhoeff, A. P. (1994) Home dampness, fungi and house dust mites, and respiratory symptoms in children. PhD thesis at Erasmus University Rotterdam. Ponsen & Looijen b.v., Wageningen, The Netherlands. ISBN 90-9007164
- [16] Fradkin, A., Tobin, R.S., Tarlo, S.M., Tucic-Porretta, M. und Malloch, M. (1987) Species identification of airborne molds and its significance for the detection of indoor pollution. *Journal of the Air Pollution Control Association* 37: 51-53
- [17] Fischer, G., Müller, T., Thißen, R., Braun, S. und Dott, W. (2004a) Verfahrensabhängige Emission von Schimmelpilzen und MVOC aus Kompostierungsanlagen. *Gefahrstoffe - Reinhaltung der Luft* 64 (4) pp. 160-167
- [18] New York State Department of Health (NYSDOH), Center for Environmental Health (1994) A prospective study of health symptoms and bioaerosol levels near a yard waste composting facility. Albany, New York
- [19] Ostrowski R, Fischer G, Dott W (1997) Monitoring airborne fungal spores inside and in the surrounding of a compost plant. *Wissenschaft und Umwelt* 2:159-164
- [20] Haas DU, Reinthaler FF, Wüst G, Skofitsch G, Degenkolb T, Marth E (1999) Emission of moulds and xerophilic fungi in the immediate surroundings of composting facilities. *Gefahrstoffe - Reinhaltung der Luft* 59(4):115-121
- [21] Fischer, G., Thißen, R., Müller, T., Braun, S. und Dott, W. (2004b) Mikrobielle Stoffwechselprodukte als Meßparameter bei Emissionsbetrachtungen. *Gefahrstoffe - Reinhaltung der Luft* 64 (5) pp. 229-238
- [22] Deininger, C. (1998a) Arbeitsplatzbewertung bei Vorliegen von biologischen Arbeitsstoffen. *Die BG* (Zeitschrift der Berufsgenossenschaften), March 1998, pp. 136-142
- [23] Deininger, C. (1998b) Untersuchungen zur mikrobiellen Luftbelastung in 32 Wertstoffsortieranlagen. *Gefahrstoffe - Reinhaltung der Luft* 58 (3): 113-123
- [24] Samson, R.A. und Frisvad, J.C. (2005) *Penicillium subgenus Penicillium: new taxonomic schemes, mycotoxins, and other extralites*. *Studies in Mycology* 49
- [25] Vázquez-Belda, B., Fente-Sampayo, C. A., Quinto-Fernandez, E., Franco-Abuin, C., Rodríguez-Otero, J. L., and Cepeda-Saez, A. (1995) Incidencia de hongos toxigénicos en queserías de la zona de Arzua (La Coruña España) *Food Science and Technology International* 1: 91-95
- [26] Gabrio, T. (2003) Expositionserfassung gegenüber *Aspergillus* spp. *Hyg Med* 6: 219-227

- [27] Flannigan, B., McCabe, E.M., McGarry, F. (1991) Allergenic and toxigenic micro-organisms in houses. *Journal of Applied Bacteriology Symposium Supplement* 70: 61S-73S
- [28] Anonym. (2001) Schimmelpilze in Innenräumen – Nachweis, Bewertung, Qualitätsmanagement. Abgestimmtes Arbeitsergebnis des Arbeitskreises „Qualitätssicherung“, Berichte des LGA Landesgesundheitsamtes Baden-Württemberg
- [29] Grant, C., Hunter, C.A., Flannigan, B., Bravery, A.F. (1989) The moisture requirements of moulds isolated from domestic dwellings. *Int Biodeter* 25: 259-284
- [30] Bornehag, C.G., Blomquist, G., Gyntelberg, F., Järholm, B., Malmberg, P., Nordvall, L. et al. (2001) Dampness in buildings and health. Nordic interdisciplinary review of the scientific evidence on associations between exposure to „dampness“ in buildings and health effects (NORDAMP). *Indoor Air* 11, 72-86
- [31] Bornehag, C.G., Bonini, S., Custovic, A., Malmberg, P., Matricardi, P., Skerfving, S., et al. (2004) Dampness in buildings as a risk factor for health effects, EUROEXPO. A multidisciplinary review of the literature (1998-2000) on dampness and mite exposure in buildings and health effects. *Indoor Air* 14: 243-257
- [32] Meklin, T., Husman, T., Vepsäläinen, A., Vahteristo, M., Koivisto, J., Halla-Aho, J., Hyvärinen, A., Moschandreas, D., Nevalainen, A. (2002) Indoor air microbes and respiratory symptoms of children in moisture damaged and reference schools. *Indoor Air* 12, 175-183
- [33] Stark, P.C., Burge, H.A., Ryan, L.M., Milton, D.K., Gold, D.R. (2003) Fungal levels in the home and lower respiratory tract illnesses in the first year of life. *Am J Res Crit Care Med* 168: 232-237
- [34] Müller, A., Lehmann, I., Seiffart, A., Diez, U., Wetzig, H., Borte M., Herbarth, O. (2002) Increased incidence of allergic sensitization and respiratory diseases due to mould exposure: Results of the Leipzig Allergy Risk children study (LARS). *Int J Environ Health* 204: 363-365
- [35] Fischer, G. and Dott, W. (2003) Relevance of airborne fungi and their secondary metabolites for environmental, occupational and indoor hygiene. *Archives of Microbiology*, 179 pp. 75-82
- [36] Dixon, D.M., McNeil, M.M., Cohen, M.L., Gellin, B.G., LaMontagne, J.R. (1996) Fungal infections – a growing threat. *Public Health Reports* 111: 229-234
- [37] Summerbell, R.C., Kane, J., Kraijden, S. (1989) Onychomycosis, tinea pedis and tinea manuum caused by non-dermatophytic filamentous fungi. *Mycoses* 32: 609-619.
- [38] Abek, D., Grusek, E., Korting, H.C., Ring, J. (1996) Onychomykose: Epidemiologie, Pathogenese, Klinik, Mikrobiologie und Therapie. *Dt Ärztebl* 93: A 2027-2032
- [39] Mayser, P., Gründer, K. Das Erregerspektrum der Onychomykosen in der Universitäts-Hautklinik Giessen 1987-1992 und dessen potentielle Bedeutung für eine antimykotische Therapie. *Z Hautkr* 68: 716-721
- [40] Abek, D., Haneke, E. Nolting, S., Reinel, D., Seebacher, C. (2000) Onychomykose. Aktuelle Daten zu Epidemiologie, Erregerspektrum, Risikofaktoren sowie Beeinflussung der Lebensqualität. *Dt Ärztebl* 97: A 1984-1986
- [41] Nenoff, P. (2005) Dermatomykosen durch Schimmelpilze – Tagungsbericht der 16. Tagung der Arbeitsgemeinschaft „Mykologische Laboratoriumsdiagnostik“ der Deutschsprachigen Mykologischen Gesellschaft (DMyG). *Der Mikrobiologe* 2: 71-78
- [42] Torres-Rodríguez, J.M., Madrenys-Brunet, N., Siddat, M., López-Jodra, O., Jimenez, T. (1998) *Aspergillus versicolor* cause of onychomycosis: report of 12 cases and susceptibility testing of antifungal drugs. *JeurAcad Dermatol Venerol* 11: 25-31
- [43] Ramani, R., Srinivas, C.R., Ramani, A., Kumari, T.G.R., Shivanada, P.G. (1993) Molds in onychomycosis. *Int Jdermatol* 32: 877-878
- [44] Jorde, W. (2000) Widersprüchliches bei Testungen mit Schimmelpilzallergenen am Beispiel des Pilzes *Phoma betae*. In: *Schimmelpilzallergie – Ökologie der Schimmelpilze, Extrakterstellung, Innenraumproblematik, Diagnostik, Therapie, Nahrungsmittelallergie*, Hrsg.: W. Jorde. *Dustri-Verlag Dr. Karl Feistle, München-Deisenhofen*
- [45] Horner, W.E., Helbling, A., Salvaggio, J.E. und Lehrer, S.B. (1995) Fungal allergens. *Clinical Microbiology Reviews*, Apr. 1995: 161-179
- [46] Breitenbach, Cramer, Lehrer (eds.) *Fungal Allergy and Pathogenicity*, Karger Verlag, Basel, 2002 ISBN 3-8055-7391-X
- [47] Bisht, V., Kukreja, N., Singh, B.P., Arora, N., Sridhara, S. (2003) Current status of fungal allergens. *Indian J Allergy Asthma Immunol* 17(1): 9-19
- [48] Schulz, T., Senkpiel, K., Ohgke, H. (2004) Comparison of the toxicity of reference mycotoxins and spore extracts of common indoor moulds. *Int. J. Hyg. Environ. Health* 207, 267-277
- [49] Thißen, R., Kreja, L., Müller, T., Dott, W. and Fischer, G. (2005) In vitro toxicity of mycotoxins and conidial extracts of fungi on human bronchial epithelial cells. *Toxicology Letters* (submitted February 2005)
- [50] Gqaleni, N., Smith, J.E., Lacey, J., 1996. Co-production of aflatoxins and cyclopiazonic acid in isolates of *Aspergillus flavus*. *Food Addit. Contam.* 13, 677-685
- [51] Ren, P., Ahearn, D.G., Crow Jr., S.A., 1999. Comparative study of *Aspergillus* mycotoxin production on enriched media and construction material. *J. Ind. Microbiol. Biotechnol.* 23, 209-213
- [52] Wicklow, D.T., Shotwell, O.L., 1983. Intrafungal distribution of aflatoxins among conidia and sclerotia of *Aspergillus flavus* and *Aspergillus parasiticus*. *Can. J. Microbiol.* 29, 1-5.

- [53] Land, C.J., Rask-Andersen, A., Lundström, H., Werner, S., Bardage, S., 1994. Tremorgenic mycotoxins in conidia of *Aspergillus fumigatus*. In: Samson, R.A., Flannigan, B., Flannigan, M.E., Verhoeff, A.P., Adan, O.C.G., Hoekstra, E.S. (Eds.), Health implications of fungi in indoor environments. Elsevier, Amsterdam
- [54] Palmgren, M.S., Lee, L.S., 1986. Separation of mycotoxin-containing sources in grain dust and determination of their mycotoxin potential. *Environ. Health Perspect.* 66, 105-108
- [55] Skaug, M.A., Eduard, W., Stormer, F.C., 2000. Ochratoxin A in airborne dust and fungal conidia. *Mycopathologia.* 151, 93-98
- [56] Nielsen, K.F., Gravesen, S., Nielsen, P.A., Andersen, B., Thrane, U., and Frisvad, J.C. (1999) Production of mycotoxins on artificially and naturally infested building materials. *Mycopathologia* 145: 43-56
- [57] Sorenson, W.G., Frazer, D.G., Jarvis, B.B., Simpson, J., Robinson, V.A., 1987. Trichothecene mycotoxins in aerosolized conidia of *Stachybotrys atra*. *Appl. Environ. Microbiol.* 53, 1370-1375
- [58] Fischer, G., Müller, T., Schwalbe, R., Ostrowski, R., Dott, W., 2000. Species-specific profiles of mycotoxins produced in cultures and associated with conidia of airborne fungi derived from biowaste. *Int. J. Hyg. Environ. Health.* 203, 105-116
- [59] Jorde, W. und Rijckaert, G. (1978) Probleme der klinischen Allergiediagnostik bei Sensibilisierungen gegen Allergene aus Schimmelpilzen. *Mykosen* 22(2) 43-47